



Claruseye.com

345 College Street SE, Suite C
Lacey, WA 98503
360-456-3200 – Office
360-456-3894 – Fax

CATARACT SURGERY OPTIONS

TRADITIONAL CATARACT SURGERY (Insurance-Based Surgery)

This is a good option if **YOU DON'T MIND WEARING GLASSES** for all activities after your surgery. During your cataract surgery the cloudy lens will be removed from your eye and a lens implant will be placed within your eye. The new lens provides vision at one focal point, such as distance or near. The preoperative measurements done prior to surgery will determine the intraocular lens power to be used. It is important to understand that this option does not fully correct your prescription. It is normal and expected to need glasses for both distance and near vision following traditional cataract surgery.

You will incur a \$75 fee for an eyeglass prescription after surgery.

PREMIUM REFRACTIVE CATARACT SURGERY (Premium fees are not covered by your insurance)

Using advanced technology, premium cataract surgery can result in an enhanced visual outcome that **REDUCES YOUR DEPENDENCE ON GLASSES**, sometimes eliminating the need for them entirely, and addresses various refractive conditions such as astigmatism. Astigmatism will be treated using either the Catalys laser, an astigmatism-correcting Toric intraocular lens, or the Light Adjustable Lens, as needed. Some of the technology used may include the following, depending on your specific needs.

- The Catalys® Laser system analyzes the internal structures of your eye and provides computer- guided laser precision, for several key steps of cataract surgery. Under your surgeon's guidance, the Catalys laser performs these delicate maneuvers with real -time 3D imaging with incredible accuracy.
- The ORA System® Intraoperative Wavefront Aberrometer **takes additional measurements of your eye during surgery to optimize your post operative visual outcome.**
- **Cutting edge, technologically advanced intraocular lenses are utilized to help achieve the outcome that your lifestyle needs.**

If any additional adjustments are needed to achieve the desired goal after the surgery (which occurs about 20% of the time nationally) these are performed at no additional cost.

Please review the PREMIUM REFRACTIVE CATARACT SURGERY OPTIONS on the reverse side.

PREMIUM REFRACTIVE CATARACT SURGERY OPTIONS

LIGHT ADJUSTABLE LENS

\$3500 PER EYE*

This option allows the implantation of a lens within the eye that is adjusted a few weeks after surgery to allow the lens correction to be tailored to your specific visual needs. Up to three adjustments can be performed, if needed, before the lens power is locked in. These adjustments are performed non-invasively, without the need for additional surgery, utilizing a special light delivery device.

EXPANDED FOCAL RANGE

\$3200 per eye*

This may be your best option for if you want to see well without glasses for most activities, including distance, intermediate-range, and near vision tasks. Most patients will notice some glare and halos around lights when driving at night after surgery. These symptoms usually diminish over time as you adapt to the lens but may persist. Your surgeon will help you choose the type of lens implant that best suits your individual lifestyle.

SINGLE FOCUS

\$2100 per eye*

This may be your best option if you desire glasses independence at a single distance and you do not mind wearing glasses for tasks that require clear vision at other distances. If you choose a DISTANCE goal, glasses will be needed for all near and intermediate vision, such as reading, working on a computer, and reading your phone. Alternatively, if you chose a NEAR goal, glasses will be needed for all distance activities such as driving and watching television.

Blended Vision or MONOVISION

\$2100 per eye*

This may be a good alternative if you want to reduce your dependence on glasses for distance and near vision. The dominant eye is set for distance and the non-dominant eye is set for near. The goal with blended vision is for both near and far objects to be in focus. Blended vision may require some time for adaptation. There may be some compromises with blended vision, so it may not be suitable for all patients. Visual quality may not be as good as when both eyes are focused together, and depth perception may be reduced during some activities. Some patients with blended vision choose to use glasses for certain activities such as night driving and extended reading.

* Your insurance company will be billed for standard cataract surgery. The cost of the premium portion of your surgery listed above is in addition to standard cataract surgery and is not covered by medical insurance. You will be responsible for any co-payments, deductibles and/ or co-insurance based on your individual insurance plan, as well as the additional premium fee. Premium fees must be paid 1 WEEK before surgery. Financing options are available.



Required Forms and Information

Thank you for choosing Clarus Eye Centre for your surgery. We are excited to help improve your vision. The information and instructions in your folder are detailed and complete. It is important to review this information carefully. Please do not hesitate to call if you have any questions or concerns.

- The CATARACT SURGERY OPTIONS form (A-1) explains the lens replacement options available to you. Please read them carefully as you will need to select the option that best suits your vision needs. Your surgeon has given a recommendation for you to consider.
- Please read your copy of the INFORMED CONSENT for CATARACT SURGERY thoroughly. During your office visit, your surgeon reviewed your condition, the recommended procedure and the risks, complications, benefits and alternatives to cataract surgery. If you have any specific questions or concerns that your surgeon has not addressed, please call our surgery coordinator to arrange a time to come in to review them. If you did not sign your INFORMED CONSENT form in the office, you will need to schedule an appointment prior to your surgery to come in to sign this form.
- We have also enclosed information on AFFORDABLE PAYMENT OPTIONS (A-3) that are available through Alphaeon Credit. You may visit their website at www.alphaeon.com/credit.
- We have provided information about the Washington State law regarding the Balance Billing Protection Act (A-4). If you have any questions about this, you may contact the Washington State Office of the Insurance Commissioner at www.insurance.wa.gov or call 1-800-562-6900.
- Please review the pamphlet regarding “Patient Rights” from the Laser and Surgery Center. The surgery center will answer any questions you may have when they call prior to your surgery.
- Please review the “Anesthesia for Eye Surgery at the Laser Surgery Center” included for your information.

If you have questions regarding your information or instructions, please contact our surgery coordinator at 360-923-4338.



AFFORDABLE PAYMENT OPTIONS FOR PREMIUM CATARACT SURGERY

PREMIUM LASER CATARACT SURGERY is considered elective by most insurance companies; therefore, the premium portion of your surgery is not covered by your insurance. We believe that financial considerations should not be an obstacle to achieving your best vision after cataract surgery. Visit www.ALPHAEON.com/CREDIT to apply online and to review the details and terms of the plans offered; Select "Vision" then click on "Apply for My Account & Get Started". We offer our patients the following options for payment:

Equal Pay Plan with ALPHAEON CREDIT*

- \$122 for 60 months for an amount of \$5,000 (\$7,320 with interest)
- \$171 for 60 months for an amount of \$7,000 (\$10,260 with interest)
- 14.99% APR if paid in full in 60 months
- If balance is not paid in full in 60 months, interest will be imposed from the end of the promotional period at the standard variable APR

Interest-Free Financing for 24 months with ALPHAEON CREDIT *

- No interest charges if paid within 24 months
- \$209 for 24 months for an amount of \$5,000 (no interest)
- \$292 for 24 months for an amount of \$7,000 (no interest)

Payment in Full

- Payment in full is due prior to surgery and can be paid by cash, check or credit card. For your convenience, we accept Visa, MasterCard or Discover.

Payment or arrangements for financing should be complete at least one week prior to your surgery date.

*Late fees do apply to all credit options

INFORMATION ABOUT BALANCE BILLING PROTECTION ACT

Know your rights under the Balance Billing Protection Act

Beginning January 1, 2020, Washington state law protects you from ‘surprise billing’ or ‘balance billing’ if you receive emergency care or are treated at an in-network hospital or outpatient surgical facility

What is ‘surprise billing’ or ‘balance billing’ and when does it happen?

Under your health plan, you are responsible for certain cost-sharing amounts. This includes co-payments, coinsurance and deductibles. You may have additional costs or be responsible for the entire bill if you see a provider or go to a facility that is not in your plan’s provider network.

Some providers and facilities have not signed a contract with your insurer. They are called ‘out-of-network’ providers or facilities. They can bill you the difference between what your insurer pays and the amount the provider or facility bills. This is called ‘surprise billing’ or ‘balance billing.’

Insurers are required to tell you, via their websites or on request, which providers, hospitals and facilities are in their networks. And hospitals, surgical facilities and providers must tell you which provider networks they participate in on their website or on request.

When you CANNOT be balance billed:

Emergency Services

The most you can be billed for emergency services is your plan’s in-network cost-sharing amount even if you receive services at an out-of-network hospital in Washington, Oregon or Idaho or from an out-of-network provider that works at the hospital. The provider and facility cannot balance bill you for emergency services.

Certain services at an In-Network Hospital or Outpatient Surgical Facility

When you receive surgery, anesthesia, pathology, radiology, laboratory, or hospitalist services from an out-of-network provider while you are at an in-network hospital or outpatient surgical facility, the most you can be billed is your in-network cost-sharing amount. These providers cannot balance bill you.

In situations when balance billing is not allowed, the following protections also apply:

- Your insurer will pay out-of-network providers and facilities directly. You are only responsible for paying your in-network cost-sharing.
- Your insurer must:
 - o Base your cost-sharing responsibility on what it would pay an in-network provider or facility in your area and show that amount in your explanation of benefits.
 - o Count any amount you pay for emergency services or certain out-of-network services (described above) toward your deductible and out-of-pocket limit.
- Your provider, hospital, or facility must refund any amount you overpay within 30 business days.
- A provider, hospital, or outpatient surgical facility cannot ask you to limit or give up these rights.

If you receive services from an out-of-network provider, hospital or facility in any OTHER situation, you may still be balance billed, or you may be responsible for the entire bill.

This law does not apply to all health plans. If you get your health insurance from your employer, the law might not protect you. Be sure to check your plan documents or contact your insurer for more information.

If you believe you’ve been wrongly billed, file a complaint with the Washington state Office of the Insurance Commissioner at www.insurance.wa.gov or call 1-800-562-6900.

CATARACT SURGERY INSTRUCTIONS

BEFORE SURGERY

Our surgery counselor has reviewed your paperwork and instructions with you. Your surgery will be performed at the Laser & Surgery Center, located to the far left of the main entrance of Clarus Eye Centre. The Laser & Surgery Center will call prior to your surgery to review preoperative information, assign an approximate arrival time and review your medical health information. **If you need to speak with the Surgery Center directly, you may call them at 360-456-7077**, Monday – Thursday before 4pm or by noon on Friday.

- Read your surgery instructions thoroughly.
- Most patients do not need prescription eyedrops for cataract surgery. This is called “dropleess cataract surgery.”
- If you were prescribed eyedrops for surgery, begin using your drops one day before surgery.
- Please make arrangements for a ride home after your surgery.
- If you have any questions or need to speak with our cataract surgery counselor, call **360-292-7053**.

DAY OF SURGERY

You will spend approximately 2 hours at the surgery center.

- You must have a responsible adult present to provide transportation following your surgery.
- Please do not eat or drink anything for 2 hours before your arrival time. (1 hour for diabetic patients)
- Take your normal daily medications, including insulin, aspirin, and coumadin.
- Please wear warm, comfortable clothing to the surgery center.
- Do not wear any facial makeup, perfume, cologne or aftershave lotion.
- Do not wear contact lenses on the day of surgery.
- If they were prescribed, use your preoperative drops on the day of surgery prior to your arrival.

If you take drops for **GLAUCOMA**, please do not stop using or alter your glaucoma drops, unless instructed otherwise by your doctor.

AFTER SURGERY

You will be provided with an eye shield to wear while sleeping for the first 24 hours after surgery. Your vision will be blurry for the first few days but should gradually improve as your eye heals.

- Wear your eye shield while resting or sleeping during the day and the first night after surgery.
- During the day you may wear your glasses or sunglasses. You may want the lens removed from your glasses on the side that had surgery until a new lens is prescribed weeks after surgery. Or you may prefer to go without glasses and only use reading glasses. Please do whichever is most comfortable for you, as neither option will harm your eye.
- Normal activities may be resumed the day after surgery.
- You may bathe or shower as usual, try to keep water and soap out of the eye as much as possible.
- Avoid swimming or hot tubs for one week after surgery.
- Please do not use mascara or eye makeup for the first few days after surgery.
- If they were prescribed, use your prescription drops as instructed and taper them as indicated by your drop schedule. Your drops may leave a white residue in the corner of your eye. You may clean it with a clean cloth.
- Please reference THE COMMON SYMPTOMS (B-3) for more details.
- **YOU WILL BE REQUIRED TO COME IN TO THE CLINIC THE DAY AFTER YOUR SURGERY.**

Notify us immediately if your vision gets abruptly worse, there is a severe ache, or if the eye is more red, as these may be signs of infection.

POST-OPERATIVE APPOINTMENTS

You are required to come into the clinic the day after your surgery. It is important for your surgeon to examine your eye to insure proper healing. You will also be scheduled for an appointment approximately one week and one month after surgery. At the one-week visit, the doctor will dilate your pupil.

INSURANCE / BILLING

Your insurance plan dictates your financial obligation. They pay according to your individual plan, applying the appropriate out-patient co-payments, and/or annual deductibles. **ANY PREMIUM FEES ARE IN ADDITION TO YOUR SURGICAL COPAY OR DEDUCTIBLE.** Our surgery team will obtain prior authorization when needed. After your surgery, we will bill your insurance company for you. There will be three separate claims.

- Laser & Surgery Center for the facility fee
- Eye Physicians of Olympia for your physician's services
- Pacific Anesthesia or Rigelman Anesthesia for their services

COMMON SYMPTOMS YOU MAY NOTICE AFTER SURGERY

We hope that your surgery is a positive experience. Although we cannot know how everyone will respond and heal following eye surgery, we have listed some common symptoms that you may experience:

For the first few days after surgery:

- Your vision will be blurry. Your vision may fluctuate.
- It is normal for the white part of the eye to appear red or bloodshot.
- Your eyedrops may sting.
- You may see a swollen, white or red patch on the white of the eye, which may take a few weeks to resolve.
- Your pupil may remain dilated for a few days.
- You may have some irritation, like an eyelash in the eye.
- Light sensitivity, which may last for a few weeks – you may be more comfortable wearing sunglasses.

You may see:

- After-images or colors in your vision (blue or pink hue), which may last for a few days after surgery.
- Crescent shaped images (half circle) – this should improve as your eye adjusts after surgery.
- Glare from lights or halos around lights – this should improve with time.
- An increase in floaters (specks or spots in your vision) for a few months – if you have any dramatic change or a curtain that remains in your vision, you should notify your doctor.
- A change in colors – usually brighter and less yellow.
- Mild flashing of light or sparkles in your vision.
- Double vision – usually clears after the first day.

There may be an adjustment period while your eyes adapt to each other – this can take a few weeks.

Final clearing of your vision usually takes 2-4 weeks. **Most people need a change in their eyeglass prescription following cataract surgery**, but some may only need glasses for certain tasks. It may take longer for your vision to stabilize if you have diabetes, macular degeneration, advanced glaucoma, or other eye diseases.

Most patients receive injections of antibiotic and anti-inflammatory medications at the end of surgery and, therefore, do not need to use eyedrops for their surgery. This is commonly called “dropleess cataract surgery.” Patients who have dropleess cataract surgery may use artificial teardrops if the eye feels irritated. Some patients are not candidates for dropleess cataract surgery and will use an antibiotic drop to reduce the risk of infection and anti-inflammatory drops to help soothe the eye and decrease swelling. If you need to use surgery drops, detailed instructions are included in this folder.

Problems after surgery are rare, but they can occur. These can include infection, bleeding, inflammation (pain, redness, or swelling), loss of vision, or light flashes. With prompt medical attention, these problems can usually be treated successfully.

If you have questions or concerns after surgery, please call our main office at **360-456-3200**. If calling after hours, you will be instructed how to reach our answering service.

MEDICATION ALERT!

The following medications can be prescribed for hypertension, bladder/kidney or prostate problems. If you have ever taken or are currently taking any of the medications listed below, please notify us immediately. These medications can make it more difficult for your pupil to dilate at the time of your surgery. We will need to use additional medication to help alleviate potential problems that may occur.

FLOMAX (Tamsulosin)

CARDURA (Doxazosin)

HYTRIN (Terazosin)

UROXATRAL (Alfuzosin)

MINIPRESS or VASOFLEX (Prazosin)

RAPAFLO (Silodosin)

Please call our surgery coordinator at
360-292-7053 if you have any questions.

Clarus Cataract Team



ANESTHESIA FOR EYE SURGERY AT THE LASER SURGERY CENTER

You will receive Monitored Anesthesia Care, or MAC, for your upcoming eye surgery. MAC is anesthesia care that includes administration of a topical (surface of eye), local (numbs just the eye and/or area around the eye) or nerve block injections (numbs a larger part of the face) with or without conscious sedation. Conscious sedation is medication designed to help you feel less anxious and more relaxed during the procedure.

Prior to your surgery, the anesthesia provider will perform an assessment of your health and surgical history to ensure you can safely have your surgery performed at this facility and not a hospital. Your specific surgical procedure, the surgeon's preference, and your informed consent after discussion of the anesthetic risks, benefits and alternatives will determine the type of anesthesia you receive.

As part of ensuring a successful surgical outcome, a certified anesthesia professional will monitor your circulation, blood pressure and oxygen levels during the procedure. You may or may not receive conscious sedation (medication to relax you) as part of your anesthesia care. Sedation may be administered if your physician deems it necessary during the procedure or at your request.

Most patients having routine cataract surgery do very well without sedation, but the medication may be administered at your request or by your physician's order. Longer, more complex operations may require intravenous/IV (through a vein) sedation to keep you comfortable and relaxed.

Anesthesia services are a necessary part of eye surgery as the experience can be dynamic and different for each patient. Changes in the anesthesia plan may occur at any time during the peri-operative period, so it is imperative the anesthesia provider is involved in your care prior, during and, in some cases, after your surgery.

Anesthesia Fees:

Your anesthesia care will be provided by licensed professionals from Pacific Anesthesia or Rigelman Anesthesia Services. Both are independent providers and are not employed by Clarus Eye Centre or Laser and Surgery Center. Therefore, you will receive a separate bill for anesthesia services. These fees are determined by the type of surgery you have, and the actual time spent monitoring you during the procedure.

Most health plans cover a majority of the anesthesia fees as long as you have met your annual deductible. If there is a balance owed after your insurance company has paid, you will be responsible for paying any remaining amount. If you have questions about whether your insurance will cover anesthesia fees, please contact your insurance carrier.

If you have any questions about your bill for **Rigelman Anesthesia Services**, please call 425-228-5228.

If you have any questions about your bill or anesthesia fees for **Pacific Anesthesia**, please call 425-407-1500.